

Lusail Real Estate Development Company

Health, Safety, Security, Environment, Logistics & Quality Department

Lusail Construction Safety Procedural Forms/Checklists – Ladder Inspection Checklist

Document No	t No LUS-HSE-FM4-446-041.01					
Uncontrolled Copy	Controlled Copy x	Date	01-Apr-2015			

COMPANY PROPRIETARY INFORMATION

Prior to use, ensure this document is the most recent revision by checking the Master Document List. To request a change, submit a Document Change Request to the Document Control Representative. Master copy of this document will be maintained by the LREDC QA/QC Manager. Not controlled if printed.

Amendment Record

This document is reviewed to ensure its continuing relevance to the systems and process that it describes. A record of contextual additions or omissions is given below:

Rev .No	Description / Comments	Prepared By	Checked By	Approved By	Issue Date
1	(Pg. 1) Company Propriety Information – Not controlled if printed has been added.	HSE Working Group	Michael Ford	Uwe krueger	1 st April 2015
1	(Pg. 2) Revised Amendment Table	HSE Working Group	Michael Ford Michael Ford	tiwe krueger	1 st April 2015



Ladder Inspection Checklist

Ladder N	0:		Inspect	or:					Year:		
Ladder M	laterial:	Woo	od 🗌	Α	luminum		Steel		Fiberglass		
Ladder St	tyle:	Sing	gle 🗌	Е	xtension		Step		Platform		
Ladder C	lass:			Manufac	cturer:						
	Item				Conditi				OK	Damaged	N/A
Side Rail	S	I .	Check for bends, splits, cracks, or other defects.								
Steps/Ru	ınas	I .		on and for	slip hazar	ds. Check	for corrosi	ion in			
'		holl	hollow rungs.								
Тор											
	ng Braces								닏ㅣ		$ \; \sqcup \;$
Locks				ind spread		ctionality.				Ц	$ \; \sqcup \; $
Guides		I	•	for functio	-					Ш	$ \; \sqcup \;$
Hardware	e Items	I				nctionality			\sqcup	Ш	$ \; \sqcup \;$
Metal Co	mponents			essive rus							
Rivets		I .		y of all hea							
Nuts/Bol	ts	I	Check to ensure that nuts are intact and are not stripped.								
Crimps/S	Swages	Che	Check for looseness, cracking, or other problem conditions.								
Welds		Che	Check welds for cracks and/or damage.								
Safety Sl	noes	Che	Check shoes are attached and in good condition.								
Rope/Pul	lley	Che	Check for damaged rope and/or pulley.								
Ladder L	evels	Che	Check condition for proper operation.								
Hooks/G	rips/Lash	es Che	ck conditi	on for prop	er operati	on.					
General (Condition										
Commen	ts:	•						•			
Month (initial each month):											
Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec

One form may be used per year as long as the ladder stays in good repair. If a defect occurs and the ladder is discarded or repaired, note the disposition of the ladder, and start a new inspection sheet.

Document No: LUS-HSE-FM4-446-041.01