



# Lusail Real Estate Development Company

Health, Safety, Security, Environment, Logistics & Quality  
Department

## Lusail Construction Safety Procedural Forms/Checklists – Identification of Power Load Charge

---

Document No LUS-HSE-FM4-446-064.01 Rev 1

Uncontrolled Copy  Controlled Copy  Date 01-Apr-2015

### COMPANY PROPRIETARY INFORMATION

Prior to use, ensure this document is the most recent revision by checking the Master Document List. To request a change, submit a Document Change Request to the Document Control Representative. Master copy of this document will be maintained by the LREDC QA/QC Manager. Not controlled if printed.





### Identification of Power Load Charge

Power Level	Color Identification		Nominal Velocity (ft/sec)
	Case Color	Load Color	
1	Brass	Gray	300
2	Brass	Brown	390
3	Brass	Green	480
4	Brass	Yellow	570
5	Brass	Red	660
6	Brass	Purple	750
7	Nickel	Gray	840
8	Nickel	Brown	930
9	Nickel	Green	1,020
10	Nickel	Yellow	1,110
11	Nickel	Red	1,200
12	Nickel	Purple	1,290

The nominal velocity applies to 3/8-in.-diameter, 350-grain ballistic slug fired in a test device. It has no reference to the actual fastener velocity developed in any specific size or type of tool.